


Claims

1. Compounds of Formula (I)



wherein

A is a heteroalkyl-, heterocycloalkyl-, heteroalkyl-cycloalkyl-, heteroaryl- or heteroarylalkyl-group,

U is hydrogen, halogen, an alkyl, heteroalkyl-, heterocycloalkyl-, heteroalkylcycloalkyl-, heteroaryl- or heteroarylalkyl-group,

G-E is selected from the following groups,



wherein R' is F or a C₁-C₃ alkyl group or G-E is part of an optionally substituted phenyl ring,

R¹ is a C₁-C₄-alkyl-, a C₁-C₄-alkenyl-, a C₁-C₄-alkynyl- or a C₃-C₄-cycloalkyl-group,

L-V-W is a group of formula $\text{CH}=\text{CH}-\text{CH}$, $\text{CH}_2-\text{CH}_2-\text{CH}$ or $\text{CH}_2-\text{CH}=\text{C}$, wherein the double bonds may be cis or trans isomers,

5 n is 0 or 2,



X is oxygen or a group of the formula NR^2 , wherein R^2 is hydrogen, an alkyl-, alkenyl-, alkynyl-, heteroalkyl-, aryl-, heteroaryl-, cycloalkyl-, alkylcycloalkyl-,
10 heteroalkylcycloalkyl-, heterocycloalkyl-, aralkyl- or heteroarylalkyl-group and

R^3 and R^4 independently from each other represent hydrogen, C_1 - C_4 -alkyl or together are part of a cyclo-
15 alkyl group with 3 or 4 ring atoms,

or a pharmacologically acceptable salt, solvate, hydrate or formulation thereof.

20 2. Compounds according to claim 1, wherein A is a group of the formula $-\text{C}(\text{CH}_3)=\text{CHR}^5$ or $-\text{CH}=\text{CHR}^5$, wherein R^5 is a heteroaryl- or a heteroarylalkyl group.

25 3. Compounds according to claim 1, wherein A is a group of formula (II) or (III)



wherein Q is sulphur, oxygen or NR⁷, wherein R⁷ is hydrogen, C₁-C₄ alkyl or C₁-C₄ heteroalkyl, z is Nitrogen or CH and R⁶ is OR⁸, NHR⁸, C₁-C₄ alkyl, C₁-C₄ alkenyl, C₁-C₄ alkynyl or C₁-C₆ heteroalkyl, wherein R⁸ is hydrogen, C₁-C₄ alkyl or C₁-C₄ heteroalkyl.

4. Compounds according to any one of the preceding claims, wherein X is oxygen or NH.

5. Compounds according to any one of the preceding claims, wherein R¹ is methyl or ethyl.

6. Compounds according to any one of the preceding claims, wherein R³ and R⁴ are methyl groups.

7. Compounds according to any one of the preceding claims, wherein U is hydrogen, fluorine, methyl, trifluoromethyl or COOH.

8. Compounds according to claim 3, wherein z is CH and Q is sulphur or oxygen.

9. Compounds according to claim 3, wherein R⁶ is methyl, CH₂OH or CH₂NH₂.

10. Pharmaceutical compositions containing a compound, a pharmacologically acceptable salt, a solvate, a hydrate or a prodrug according to any one of the preceding claims and optionally carriers and/or adjuvants and/or diluents.

11. Use of a compound or a pharmaceutical composition according to any one of the preceding claims for the manufacture of a medicament for the treatment of cancer.